ELSEVIER

www.elsevier.nl/locate/jorganchem

Journal of Organometallic Chemistry 617–618 (2001) 767–771

Journal of Organometallic Chemistry

Contents of Volumes 617–618

Preface 1

Mini Reviews

Rhodium(II) mediated cyclizations of diazo alkynyl ketones
A. Padwa 3

Development of olefin metathesis catalyst precursors bearing nucleophilic carbene ligands
L. Jafarpour, S.P. Nolan 17

Carbenes with ferrocenyl substituents
B. Bildstein 28

Bis(iodozincio)methane — preparation, structure, and reaction
S. Matsubara, K. Oshima, K. Utimoto 39

Recent progress in asymmetric intermolecular C–H activation by rhodium carbenoid intermediates
H.M.L. Davies, E.G. Antoulinakis 47

Factors governing the equilibrium between metal–alkyl, alkylidene and alkylidyne: MCX_2R, X–M=CXR and $X_2M{\equiv}CR$
K.G. Caulton 56

Coordination chemistry of CNH_2, the simplest aminocarbyne
A.J.L. Pombeiro, M. Fátima, C. Guedes da Silva 65

Synthesis of chiral triazolinylidene and imidazolinylidene transition metal complexes and first application in asymmetric catalysis
D. Enders, H. Gielen 70

Carbene complexes of titanium group metals — formation and reactivity
R. Beckhaus, C. Santamaría 81

Catalyst selection for metal carbene transformations
D.J. Timmons, M.P. Doyle 98

Some aspects of the Lewis base and ligand behavior of *N*-heterocyclic carbenes
A.H. Cowley 105

The use of polypyrazolylborate copper(I) complexes as catalysts in the conversion of olefins into cyclopropanes, aziridines and epoxides and alkynes into cyclopropenes
M. Mar Díaz-Requejo, P.J. Pérez 110

Metal glycosylidenes: novel organometallic tools for *C*-glycosidation: Part 19. Organotransition metal modified sugars
K.H. Dötz, C. Jäkel, W.-C. Haase 119

Luminescent metal complexes derived from carbene and related ligands: tuning excited-state properties with metal–carbon multiple bonds
S.-W. Lai, M.C.W. Chan, Y. Wang, H.-W. Lam, S.-M. Peng, C.-M. Che 133

Cyclopropenation of organometallic vinylidene complexes
Y.-C. Lin 141

Early transition metal carbenoid reagents in epimetallation and metallative dimerization of unsaturated organic substrates
J.J. Eisch 148

Early transition metal and lanthanide bis(iminophosphorano)methandiide complexes; 'pincer' and bridging bis(phosphorus) metal carbenes
R.G. Cavell, R.P. Kamalesh Babu, K. Aparna 158

Carbene complexes derived from lithiated heterocycles, mainly azoles, by transmetallation
H.G. Raubenheimer, S. Cronje 170

The preparation of imidazolidinone and oxazolidinone chelated carbene complexes
T.S. Powers, W.D. Wulff, J. Quinn, Y. Shi, W. Jiang, R. Hsung, M. Parisi, A. Rahm, X. Wu Jiang, G.P.A. Yap, A.L. Rheingold. 182

Chemistry of thermally stable bis(amino)silylenes
B. Gehrhus, M.F. Lappert 209

Regular Papers

Two possible reaction pathways for the formation of a ruthenium carbene complex by addition of acetylene to $[RuH_2Cl_2(PH_3)_2]$: a quantum chemical study
N. Dölker, G. Frenking 225

Activation of 2-propyn-1-ols by the rhenium(I) fragment $[\{MeC(CH_2PPh_2)_3\}Re(CO)_2]^+$. Synthesis and characterization of cationic Re(I) complexes containing unsaturated η^1-carbon ligands
C. Bianchini, N. Mantovani, L. Marvelli, M. Peruzzini, R. Rossi, A. Romerosa. 233

Synthesis and reactivity of subvalent compounds: Part 11. Oxidation, hydrogenation and hydrolysis of stable diamino carbenes
M.K. Denk, J.M. Rodezno, S. Gupta, A.J. Lough 242

Photochemical C–H bond activation of diruthenium bridging alkylidene complexes: Interligand H-exchange on $Cp_2Ru_2(\mu\text{-}CH_2)(\mu\text{-}CHR)(CO)_2$ (R = H, Me)
M. Akita, H. Musashi, S. Nakanishi, Y. Moro-oka 254

Intramolecular carbon–carbon coupling reactions of a $\kappa^2(P,P)$-bis(diphenylphosphino)methanide ligand with unsaturated carbene moieties in indenyl–ruthenium(II) complexes
V. Cadierno, M.P. Gamasa, J. Gimeno, B.M. Martín-Vaca. 261

A matrix isolation and flash photolysis study of the cyclization reactions of chromium amino carbenes
K.O. Doyle, M.L. Gallagher, M.T. Pryce, A.D. Rooney 269

Synthesis and crystal structures of carbene complexes with conjugated thiophene units
M. Landman, H. Görls, S. Lotz. 280

Facile synthesis of a ruthenium carbene complex with a *cis*-chelating diphosphinoethane ligand
M.A.O. Volland, B.F. Straub, I. Gruber, F. Rominger, P. Hofmann 288

Reactions of di-μ-carbonyl-*cis*-μ-(1-5-η:1′-5′-η-dicyclopentadienyl-dimethylsilane)bis(carbonyliron) with aryllithium reagents. Crystal structures of $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_5\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$ and $[Fe_2(\mu\text{-}CO)\{\mu\text{-}C(OC_2H_5)C_6H_4OCH_3\text{-}p\}(CO)_2\{(\eta^5\text{-}C_5H_4)_2Si(CH_3)_2\}]$
R. Wang, J. Sun, J. Chen 292

Synthesis and reactivity of neutral vinylidene and σ-alkynyl complexes containing the hemilabile ligand $Ph_2PCH_2CH_2OMe$: Part 16. Ruthenium tris(pyrazolyl)borate complexes
S. Pavlik, C. Gemel, C. Slugovc, K. Mereiter, R. Schmid, K. Kirchner 301

Phosphinidene reactivity toward unsaturated phosphorus heterocycles
M.J.M. Vlaar, F.J.J. de Kanter, M. Schakel, M. Lutz, A.L. Spek, K. Lammertsma. 311

Preparation and structural features of new dialkylamino-substituted cyclopropenylidenepentacarbonylchromium complexes
A. de Meijere, S. Müller, T. Labahn 318

Rearrangement of carbiminium carbonylmetalates by mutual exchange of alkoxy- and amino functionalities (M = W, Cr): Crystal structure analyses
R. Aumann, K. Roths, R. Fröhlich. 322

Reaction of iron aminocarbene complexes with electronically deficient alkenes
I. Rotrekl, L. Vyklický, D. Dvorák. 329

Tethering strategies in alkynylamino carbene complexes
J.M. Moretó, S. Ricart 334

(Diazomethyl)silyl-functionalized Fischer-type carbene complexes
G. Maas, D. Mayer 339

Chelated η^2-alkene- and η^3-allyl-carbene complexes of late transition metals: structure–reactivity relations and preparative use: Part 10. The chemistry of metallacyclic alkenylcarbene complexes
R. Schobert. 346

Ruthenium–porphyrin-catalyzed carbenoid addition to allylic compounds: application to [2,3]-sigmatropic rearrangements of ylides
G. Simonneaux, E. Galardon, C. Paul-Roth, M. Gulea, S. Masson 360

Helical mono and dinuclear mercury(II) *N*-heterocyclic carbene complexes
K.-M. Lee, J.C.C. Chen, I.J.B. Lin 364

Transition metal ('Fischer-type') carbene complexes as protein labelling reagents
M. Salmain, E. Licandro, C. Baldoli, S. Maiorana, H. Tran-Huy, G. Jaouen 376

Complexes with phosphorus analogues of imidazoyl carbenes: unprecedented formation of phosphenium complexes by coordination induced P–Cl bond heterolysis
D. Gudat, A. Haghverdi, M. Nieger 383

1,1′-(Pyridine-2,6-diyl)bis(3-benzyl-2,3-dihydro-1*H*-imidazol-2-ylidene), a new multidentate *N*-heterocyclic biscarbene and its silver(I) complex derivative
A. Caballero, E. Díez-Barra, F.A. Jalón, S. Merino, J. Tejeda 395

Fischer-type alkyl(hydrazino)carbene complexes: new synthetic potential in comparison with aminocarbene complexes
E. Licandro, S. Maiorana, D. Perdicchia, C. Baldoli, C. Graiff, A. Tiripicchio 399

New carbene and vinylidene chelate complexes of cyclopentadienylcobalt bearing a phosphorus tether
J. Foerstner, A. Kakoschke, R. Goddard, J. Rust, R. Wartchow, H. Butenschön 412

Stereochemically defined metal carbene complexes as chemical probes for studies of the ring formation of 2*H*-azaphosphirene complexes
R. Streubel, S. Priemer, J. Jeske, P.G. Jones 423

Schrock type transition metal complex formation of push–pull substituted phosphanyl-carbenes, a quantum chemical investigation by density-functional methods
W.W. Schoeller, A.J.B. Rozhenko, A. Alijah 435

Discovery of the tungsten carbonyl-catalyzed *endo*-selective alkynyl alcohol cycloisomerization reaction: applications to stereoselective syntheses of D-olivose, D-olivose disaccharide substructures of landomycin and mithramycin
F.E. McDonald, K.S. Reddy. 444

Conversion of a stannyl–phosphenium complex into a stannylene–phosphine complex of Mo and W: double bond migration from MP to MSn
H. Nakazawa, M. Kishishita, T. Ishiyama, T. Mizuta, K. Miyoshi 453

Aminolysis of 3-alkoxysubstituted cyclobutenylidene complexes. A novel convenient route to chiral 3-aminosubstituted cyclobutenylidene complexes
C.C. Karl, S. Joneleit, K. Weißenbach, H. Fischer 464

Electrophilic C(2)-functionalization of nitronyl nitroxides: a reference to *N*-heterocyclic carbenes
R. Weiss, N. Kraut, F. Hampel 473

Mechanism of formation of the metallacyclic iron carbenes $(CO)_3\overline{Fe[=C(NR_2)OC(O)}NR_2]$ formed by thermal evolution of bis carbamoyl complexes, characterization of η^2-carbamoyl intermediates
N. Le Gall, D. Luart, J.-Y. Salaün, H. des Abbayes, L. Toupet 483

Reactions of molybdenum and tungsten alkyl and aryl complexes that contain a triamidoamine ligand with carbon monoxide
R.R. Schrock, C. Rosenberger, S.W. Seidel, K.-Y. Shih, W.M. Davis, A.L. Odom 495

Synthesis and molecular structure of four-coordinate neutral and cationic diphenylcarbenerhodium(I) complexes
E. Bleuel, B. Weberndörfer, H. Werner 502

Neutral carbene and vinylidene cyclopentadienyl ruthenium complexes with $PPh_2(2\text{-}MeC_6H_4)$
W. Baratta, A. Del Zotto, E. Herdtweck, S. Vuano, P. Rigo 511

X-ray structure and electrophilic reactivity of a cationic, chiral tungsten(II) methylene complex
A.S. Jepsen, N.J. Vogeley, P.S. White, J.L. Templeton 520

Homoleptic carbene complexes: Part VIII. Hexacarbene complexes
R. Fränkel, U. Kernbach, M. Bakola-Christianopoulou, U. Plaia, M. Suter, W. Ponikwar, H. Nöth, C. Moinet, W.P. Fehlhammer 530

Palladium(II) complexes containing mono-, bi- and tridentate carbene ligands. Synthesis, characterisation and application as catalysts in C–C coupling reactions
A.M. Magill, D.S. McGuinness, K.J. Cavell, G.J.P. Britovsek, V.C. Gibson, A.J.P. White, D.J. Williams, A.H. White, B.W. Skelton 546

Methylidene and hydrazone complexes of the cluster family: $Cp'_3M_3(CO)_2(CH_2)$ (M = Co, Rh, Ir)
F.H. Försterling, C.E. Barnes 561

Tungsten(0) alkylidene complexes stabilized as pyridinium ylides: new aspects of their synthesis and reactivity
H. Rudler, T. Durand-Réville 571

Metallocenes of the alkaline earth metals and their carbene complexes
H. Schumann, J. Gottfriedsen, M. Glanz, S. Dechert, J. Demtschuk 588

Synthesis and characterization of planar-chiral cyclopentadienylruthenium–vinylidene complexes
Y. Ajioka, Y. Matsushima, K. Onitsuka, H. Yamazaki, S. Takahashi 601

Synthesis, structure and catalytic application of palladium(II) complexes bearing *N*-heterocyclic carbenes and phosphines
W.A. Herrmann, V.P.W. Böhm, C.W.K. Gstöttmayr, M. Grosche, C.-P. Reisinger, T. Weskamp 616

A zwitterionic carbene–stannylene adduct via cleavage of a dibenzotetraazafulvalene by a stannylene
F. Ekkehardt Hahn, L. Wittenbecher, M. Kühn, T. Lügger, R. Fröhlich 629

An improved synthesis of bis(1,3-di-*N*-*tert*-butylimidazol-2-ylidene)palladium(0) and its use in C–C and C–N coupling reactions
S. Caddick, F.G.N. Cloke, G.K.B. Clentsmith, P.B. Hitchcock, D. McKerrecher, L.R. Titcomb, M.R.V. Williams 635

2-Azaallenylidene complexes: syntheses and structures of chromium and tungsten complexes with a (cyclopropenylidene)-2-azaethenylidene ligand
M. Tamm, T. Bannenberg, A. Grzegorzewski, R. Fröhlich 640

Evidence for multiple bonding in four-coordinate, cationic, platinum–thiosilylenes via AIM and CDA; effects of phosphine choice
F.P. Arnold Jr. 647

Aminomethylene complexes of molybdenum(IV) and tungsten(IV) bearing 1,2-dithiolato ligands
A.C. Filippou, P. Portius, C. Jankowski 656

Some reactions of the platinum(II) carbene complex *cis*-dichloro(dimethylaminomethylene)(triphenylphosphine)platinum(II) and the X-ray crystal and molecular structures of the products *trans*-($C H_2$,*P*)-chloro(chloromethyl)(dimethylaminomethylene)(triphenylphosphine)-platinum(II) and [1,2-bis(diphenylphosphino)ethane](dimethylaminomethylene)(triphenylphosphine)platinum(II) bis(hexafluoro-phosphate)
G. Ferguson, Y. Li, A.J. McAlees, R. McCrindle, E. Zang 671

Synthesis and reactivity of μ-bis(carbene)dimanganese complexes. X-ray structures of $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH_2CH_2(EtO)C=\}$, (*E*)-$\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=C(OEt)CH=CH(EtO)C=\}$ and $\{Cp'(CO)_2Mn\}_2\{\mu\text{-}=\overline{CN(Ph)CH(Ph)}\overline{CHCHCH(Ph)N(Ph)C}=\}$
A. Rabier, N. Lugan, R. Mathieu. 681

Terminal chloroaminophosphido and aminophosphinidene complexes of molybdenum
B.T. Sterenberg, A.J. Carty 696

Reinvestigation of the chemoselective cyclopropanation of allylic alcohols, allylic ethers and alkenes: a comparison between various reagents and protocols
A.B. Charette, A. Beauchemin 702

Solution and solid state conformation of Fischer carbene complexes vis-à-vis conformation of aryl carboxamides: complexation of the aromatic ring by tricarbonylchromium makes a difference
K.N. Jayaprakash, D. Hazra, K.S. Hagen, U. Samanta, M.M. Bhadbhade, V.G. Puranik, A. Sarkar 709

Reaction of rhenium alkynyl carbene complexes with tertiary phosphines produces dihydrophospholium rhenium complexes by a formal CH insertion process
C.P. Casey, S. Kraft, D.R. Powell, M. Kavana 723

Communications

Synthesis and reactivity of subvalent compounds: Part 10. Fast deuterium labeling and the basicity of stable diamino carbenes (imidazole-2-ylidenes)
M.K. Denk, J.M. Rodezno. 737

Reactions of silyl-substituted Fischer-type carbene complexes with silanes
N. Iwasawa, M. Saitou, H. Kusama 741

Formation of carbenoid intermediates in the reaction of ditertiobutyl ketone with low-valent titanium reagents
C. Villiers, A. Vandais, M. Ephritikhine 744

Synthesis and X-ray crystal structure analysis of a phosphorus analogue of (1,2,3-η)-*trans*-butadienyl complexes
N.H.T. Huy, L. Ricard, F. Mathey. 748

The origin of diastereoselectivity in cyclopropanation reactions of the iron carbene complex $[(\eta^5\text{-}C_5H_5)(CO)_2Fe{=}CH[(\eta^6\text{-}o\text{-}CH_3OC_6H_4)Cr(CO)_3]]^+$
Q. Wang, M.M. Hossain 751

Author Index of Volumes 617–618 755
Subject Index of Volumes 617–618 757
Contents of Volumes 617–618 767